

1	L0000	= \$0000
2	L0001	= \$0001
3	L0002	= \$0002
4	L0003	= \$0003
5	L0004	= \$0004
6	L000A	= \$000A
7	L000B	= \$000B
8	L000C	= \$000C
9	L000D	= \$000D
10	L000E	= \$000E
11	L000F	= \$000F
12	L0010	= \$0010
13	L0013	= \$0013
14	L0014	= \$0014
15	L0015	= \$0015
16	L0016	= \$0016
17	L0017	= \$0017
18	L0018	= \$0018
19	L0019	= \$0019
20	L001A	= \$001A
21	L001B	= \$001B
22	L001C	= \$001C
23	L001D	= \$001D
24	L001E	= \$001E
25	L001F	= \$001F
26	L0020	= \$0020
27	L0021	= \$0021
28	L0030	= \$0030
29	L0040	= \$0040
30	L0041	= \$0041
31	L0042	= \$0042
32	L0043	= \$0043
33	L0044	= \$0044
34	L00A0	= \$00A0
35	L00AC	= \$00AC
36	L0100	= \$0100
37	L0200	= \$0200
38	L0220	= \$0220
39	L0300	= \$0300
40	L0320	= \$0320
41	L0404	= \$0404
42	LA0A0	= \$A0A0
43	LB000	= \$B000
44	LB003	= \$B003
45	LB800	= \$B800
46	LB80E	= \$B80E
47	LBF91	= \$BF91
48	LBF92	= \$BF92
49	LBFD0	= \$BFD0

			50		LBFD1	= \$BFD1
			51		LBFD2	= \$BFD2
			52		LBFD3	= \$BFD3
			53		LBFE1	= \$BFE1
			54		LBFE3	= \$BFE3
			55		LBFEC	= \$BFEC
			56		LBFED	= \$BFED
			57		LBFF0	= \$BFF0
			58		LBFF1	= \$BFF1
			59		LBFF2	= \$BFF2
			60		LBFF3	= \$BFF3
			61		LC34B	= \$C34B
			62		LC558	= \$C558
			63		LE2ED	= \$E2ED
			64		LE800	= \$E800
			65		LF00E	= \$F00E
			66		LF7F7	= \$F7F7
F800	4C51F9		67		JMP	LF951
F803	4CA3F9		68		JMP	LF9A3
F806	4C8CF9		69		JMP	LF98C
F809	4C79FE		70		JMP	LFE79
F80C	A90D	LF80C	71	LF80C:	LDA	#\$0D
F80E	4C75FE		72		JMP	LFE75
F811	4C5EFB		73		JMP	LFB5E
F814	4C81FB		74		JMP	LFB81
F817	4C28FF		75		JMP	LFF28
F81A	4C0BFF		76		JMP	LFF0B
F81D	4CFAFD		77		JMP	LFDFA
F820	A2FF		78		LDX	#\$FF
F822	9A		79		TXS	
F823	4CCDFB		80		JMP	LFBCD
F826	4C8BFB		81		JMP	LFB8B
F829	4C98FB		82		JMP	LFB98
F82C	4CDDFE		83		JMP	LFEDD
F82F	F8	LF82F	84	LF82F:	DEFB	\$F8
F830	FC	LF830	85	LF830:	DEFB	\$FC
F831	4CC3FE	LF831	86	LF831:	JMP	LFEC3
F834	4C64FF		87		JMP	LFF64
F837	E003		88		DEFB	\$E0,\$3
F839	0100		89		DEFB	\$01,\$0
F83B	00		90		DEFB	\$00
F83C	00		91		DEFB	\$00
F83D	40		92		DEFB	\$40
F83E	2400	LF83E	93	LF83E:	BIT	L0000
F840	100A		94		BPL	LF84C
F842	A24F		95		LDX	#\$4F
F844	B510	LF844	96	LF844:	LDA	L0010,X
F846	9D0001		97		STA	L0100,X
F849	CA		98		DEX	
F84A	10F8		99		BPL	LF844

F84C	A900	LF84C	100	LF84C:	LDA	#\$00
F84E	8500		101		STA	L0000
F850	A98B		102		LDA	#\$8B
F852	8DD2BF		103		STA	LBFD2
F855	A9FF		104		LDA	#\$FF
F857	8DD3BF		105		STA	LBFD3
F85A	A98B		106		LDA	#\$8B
F85C	CDD2BF		107		CMP	LBFD2
F85F	D015		108		BNE	LF876
F861	A993		109		LDA	#\$93
F863	8DD3BF		110		STA	LBFD3
F866	ADD1BF		111		LDA	LBFD1
F869	2960		112		AND	#\$60
F86B	D009		113		BNE	LF876
F86D	A989		114		LDA	#\$89
F86F	8DD2BF		115		STA	LBFD2
F872	A921		116		LDA	#\$21
F874	8500		117		STA	L0000
F876	A2FF	LF876	118	LF876:	LDX	#\$FF
F878	9A		119		TXS	
F879	4C03FC		120		JMP	LFC03
F87C	8502	LF87C	121	LF87C:	STA	L0002
F87E	8A		122		TXA	
F87F	48		123		PHA	
F880	98		124		TYA	
F881	48		125		PHA	
F882	AD2FF8		126		LDA	LF82F
F885	48		127		PHA	
F886	AD30F8		128		LDA	LF830
F889	48		129		PHA	
F88A	A602		130		LDX	L0002
F88C	A400		131		LDY	L0000
F88E	98		132		TYA	
F88F	2904		133		AND	#\$04
F891	D00A		134		BNE	LF89D
F893	E011		135		CPX	#\$11
F895	D018		136		BNE	LF8AF
F897	98		137		TYA	
F898	0904		138		ORA	#\$04
F89A	8500		139		STA	L0000
F89C	60		140		RTS	
F89D	98	LF89D	141	LF89D:	TYA	
F89E	29FB		142		AND	#\$FB
F8A0	8500		143		STA	L0000
F8A2	E006		144		CPX	#\$06
F8A4	B009		145		BCS	LF8AF
F8A6	BD05F9		146		LDA	LF905,X
F8A9	48		147		PHA	
F8AA	BD0BF9		148		LDA	LF90B,X
F8AD	48		149		PHA	

F8AE	60		150		RTS	
F8AF	A500	LF8AF	151	LF8AF:	LDA	L0000
F8B1	0A		152		ASL	A
F8B2	0A		153		ASL	A
F8B3	B00A		154		BCS	LF8BF
F8B5	48		155		PHA	
F8B6	8A		156		TXA	
F8B7	C90A		157		CMP	#\$0A
F8B9	F003		158		BEQ	LF8BE
F8BB	2079FE		159		JSR	LFE79
F8BE	68	LF8BE	160	LF8BE:	PLA	
F8BF	A602	LF8BF	161	LF8BF:	LDX	L0002
F8C1	E07F		162		CPX	#\$7F
F8C3	D004		163		BNE	LF8C9
F8C5	A22F		164		LDX	#\$2F
F8C7	8602		165		STX	L0002
F8C9	0A	LF8C9	166	LF8C9:	ASL	A
F8CA	900D		167		BCC	LF8D9
F8CC	48		168		PHA	
F8CD	E00D		169		CPX	#\$0D
F8CF	D004		170		BNE	LF8D5
F8D1	2910		171		AND	#\$10
F8D3	D003		172		BNE	LF8D8
F8D5	208CF9	LF8D5	173	LF8D5:	JSR	LF98C
F8D8	68	LF8D8	174	LF8D8:	PLA	
F8D9	0A	LF8D9	175	LF8D9:	ASL	A
F8DA	900F		176		BCC	LF8EB
F8DC	48		177		PHA	
F8DD	A602		178		LDX	L0002
F8DF	E00D		179		CPX	#\$0D
F8E1	D004		180		BNE	LF8E7
F8E3	2920		181		AND	#\$20
F8E5	F003		182		BEQ	LF8EA
F8E7	20A3F9	LF8E7	183	LF8E7:	JSR	LF9A3
F8EA	68	LF8EA	184	LF8EA:	PLA	
F8EB	0A	LF8EB	185	LF8EB:	ASL	A
F8EC	9003		186		BCC	LF8F1
F8EE	2002F9		187		JSR	LF902
F8F1	A602	LF8F1	188	LF8F1:	LDX	L0002
F8F3	E00D		189		CPX	#\$0D
F8F5	D005		190		BNE	LF8FC
F8F7	A90A		191		LDA	#\$0A
F8F9	207CF8		192		JSR	LF87C
F8FC	60	LF8FC	193	LF8FC:	RTS	
F8FD	68		194		PLA	
F8FE	A8		195		TAY	
F8FF	68		196		PLA	
F900	AA		197		TAX	
F901	60		198		RTS	
F902	6C1100	LF902	199	LF902:	DEFB	\$6C,\$10

F905	F9F9F9	LF905	200	LF905:	DEFB	\$F9,\$9F
F908	F9F9F9		201		DEFB	\$F9,\$9F
F90B	7E7740	LF90B	202	LF90B:	DEFB	\$7E,\$74
F90E	39646B		203		DEFB	\$39,\$46
F911	8DF0BF	LF911	204	LF911:	STA	LBFF0
F914	C910		205		CMP	#\$10
F916	D006		206		BNE	LF91E
F918	2034F9		207		JSR	LF934
F91B	4C2FF9		208		JMP	LF92F
F91E	C913	LF91E	209	LF91E:	CMP	#\$13
F920	D006		210		BNE	LF928
F922	205FF9		211		JSR	LF95F
F925	4C2FF9		212		JMP	LF92F
F928	C916	LF928	213	LF928:	CMP	#\$16
F92A	D007		214		BNE	LF933
F92C	2072F9		215		JSR	LF972
F92F	A900	LF92F	216	LF92F:	LDA	#\$00
F931	8501		217		STA	L0001
F933	60	LF933	218	LF933:	RTS	
F934	A500	LF934	219	LF934:	LDA	L0000
F936	2910		220		AND	#\$10
F938	F007		221		BEQ	LF941
F93A	A500		222		LDA	L0000
F93C	29EF		223		AND	#\$EF
F93E	8500		224		STA	L0000
F940	60		225		RTS	
F941	A900	LF941	226	LF941:	LDA	#\$00
F943	8DE3BF		227		STA	LBFE3
F946	CDE3BF		228		CMP	LBFE3
F949	D013		229		BNE	LF95E
F94B	A500		230		LDA	L0000
F94D	0910		231		ORA	#\$10
F94F	8500		232		STA	L0000
F951	A9FF	LF951	233	LF951:	LDA	#\$FF
F953	8DE3BF		234		STA	LBFE3
F956	A900		235		LDA	#\$00
F958	8DE1BF		236		STA	LBFE1
F95B	20BEF9		237		JSR	LF9BE
F95E	60	LF95E	238	LF95E:	RTS	
F95F	A500	LF95F	239	LF95F:	LDA	L0000
F961	2940		240		AND	#\$40
F963	F007		241		BEQ	LF96C
F965	A500		242		LDA	L0000
F967	29BF		243		AND	#\$BF
F969	8500	LF969	244	LF969:	STA	L0000
F96B	60		245		RTS	
F96C	A500	LF96C	246	LF96C:	LDA	L0000
F96E	0940		247		ORA	#\$40
F970	D0F7		248		BNE	LF969
F972	A500	LF972	249	LF972:	LDA	L0000

F974	2920		250		AND	#\$20
F976	F007		251		BEQ	LF97F
F978	A500	LF978	252	LF978:	LDA	L0000
F97A	29DF		253		AND	#\$DF
F97C	8500	LF97C	254	LF97C:	STA	L0000
F97E	60		255		RTS	
F97F	ADD2BF	LF97F	256	LF97F:	LDA	LBFD2
F982	C9FF		257		CMP	#\$FF
F984	F0F2		258		BEQ	LF978
F986	A500		259		LDA	L0000
F988	0920		260		ORA	#\$20
F98A	D0F0		261		BNE	LF97C
F98C	A200	LF98C	262	LF98C:	LDX	#\$00
F98E	ADD1BF	LF98E	263	LF98E:	LDA	LBFD1
F991	2910		264		AND	#\$10
F993	D008		265		BNE	LF99D
F995	88	LF995	266	LF995:	DEY	
F996	D0FD		267		BNE	LF995
F998	CA		268		DEX	
F999	D0F3		269		BNE	LF98E
F99B	F030		270		BEQ	LF9CD
F99D	A502	LF99D	271	LF99D:	LDA	L0002
F99F	8DD0BF		272		STA	LBFD0
F9A2	60		273		RTS	
F9A3	A2FF	LF9A3	274	LF9A3:	LDX	#\$FF
F9A5	98	LF9A5	275	LF9A5:	TYA	
F9A6	A00F		276		LDY	#\$0F
F9A8	88	LF9A8	277	LF9A8:	DEY	
F9A9	10FD		278		BPL	LF9A8
F9AB	A8		279		TAY	
F9AC	88		280		DEY	
F9AD	D003		281		BNE	LF9B2
F9AF	CA		282		DEX	
F9B0	F01B		283		BEQ	LF9CD
F9B2	ADED BF	LF9B2	284	LF9B2:	LDA	LB FED
F9B5	2902		285		AND	#\$02
F9B7	F0EC		286		BEQ	LF9A5
F9B9	A502		287		LDA	L0002
F9BB	8DE1BF		288		STA	LBFE1
F9BE	A90D	LF9BE	289	LF9BE:	LDA	#\$0D
F9C0	8DECBF		290		STA	LBFEC
F9C3	E901	LF9C3	291	LF9C3:	SBC	#\$01
F9C5	D0FC		292		BNE	LF9C3
F9C7	A90F		293		LDA	#\$0F
F9C9	8DECBF		294		STA	LBFEC
F9CC	60		295		RTS	
F9CD	A500	LF9CD	296	LF9CD:	LDA	L0000
F9CF	298F		297		AND	#\$8F
F9D1	8500		298		STA	L0000
F9D3	A20C		299		LDX	#\$0C

F9D5	BDDFF9	LF9D5	300	LF9D5:	LDA	LF9DF,X
F9D8	2075FE		301		JSR	LFE75
F9DB	CA		302		DEX	
F9DC	10F7		303		BPL	LF9D5
F9DE	60		304		RTS	
F9DF	0D524F	LF9DF	305	LF9DF:	DEFB	\$0D,\$24
F9E2	52		306		DEFB	\$52
F9E3	52		307		DEFB	\$52
F9E4	4520		308		DEFB	\$45,\$0
F9E6	54		309		DEFB	\$54
F9E7	4E4952		310		DEFB	\$4E,\$95
F9EA	500D		311		DEFB	\$50,\$D
F9EC	88	LF9EC	312	LF9EC:	DEY	
F9ED	1016		313		BPL	LFA05
F9EF	A50A		314		LDA	L000A
F9F1	38		315		SEC	
F9F2	E920		316		SBC	#\$20
F9F4	850A		317		STA	L000A
F9F6	A50B		318		LDA	L000B
F9F8	E900		319		SBC	#\$00
F9FA	850B		320		STA	L000B
F9FC	A01F		321		LDY	#\$1F
F9FE	C901		322		CMP	#\$01
FA00	D003		323		BNE	LFA05
FA02	2006FA		324		JSR	LFA06
FA05	60	LFA05	325	LFA05:	RTS	
FA06	A000	LFA06	326	LFA06:	LDY	#\$00
FA08	A920		327		LDA	#\$20
FA0A	990002	LFA0A	328	LFA0A:	STA	L000200,
FA0D	990003		329		STA	L000300,
FA10	C8		330		INY	
FA11	D0F7		331		BNE	LFA0A
FA13	98		332		TYA	
FA14	850A		333		STA	L000A
FA16	A902		334		LDA	#\$02
FA18	850B		335		STA	L000B
FA1A	60		336		RTS	
FA1B	A200	LFA1B	337	LFA1B:	LDX	#\$00
FA1D	BD2002	LFA1D	338	LFA1D:	LDA	L0220,X
FA20	9D0002		339		STA	L0200,X
FA23	E8		340		INX	
FA24	D0F7		341		BNE	LFA1D
FA26	BD2003	LFA26	342	LFA26:	LDA	L0320,X
FA29	9D0003		343		STA	L0300,X
FA2C	E8		344		INX	
FA2D	E0E0		345		CPX	#\$E0
FA2F	D0F5		346		BNE	LFA26
FA31	860A		347		STX	L000A
FA33	A903		348		LDA	#\$03
FA35	850B		349		STA	L000B

FA37	A920		350		LDA	#\$20
FA39	A8		351		TAY	
FA3A	88	LFA3A	352	LFA3A:	DEY	
FA3B	910A		353		STA	(L000A),Y
FA3D	D0FB		354		BNE	LFA3A
FA3F	60		355		RTS	
FA40	A000	LFA40	356	LFA40:	LDY	#\$00
FA42	BD50FA	LFA42	357	LFA42:	LDA	LFA50,X
FA45	D001		358		BNE	LFA48
FA47	60	LFA47	359	LFA47:	RTS	
FA48	D10A	LFA48	360	LFA48:	CMP	(L000A),Y
FA4A	D0FB		361		BNE	LFA47
FA4C	E8		362		INX	
FA4D	C8		363		INY	
FA4E	D0F2		364		BNE	LFA42
FA50	42	LFA50	365	LFA50:	DEFB	\$42
FA51	4153		366		DEFB	\$41,\$3
FA53	00		367		DEFB	\$00
FA54	57		368		DEFB	\$57
FA55	4152		369		DEFB	\$41,\$2
FA57	00		370		DEFB	\$00
FA58	44		371		DEFB	\$44
FA59	4C4F41		372		DEFB	\$4C,\$F4
FA5C	44		373		DEFB	\$44
FA5D	00		374		DEFB	\$00
FA5E	4155		375		DEFB	\$41,\$5
FA60	58		376		DEFB	\$58
FA61	00		377		DEFB	\$00
FA62	57		378		DEFB	\$57
FA63	464F		379		DEFB	\$46,\$F
FA65	52		380		DEFB	\$52
FA66	00		381		DEFB	\$00
FA67	44		382		DEFB	\$44
FA68	52		383		DEFB	\$52
FA69	5600		384		DEFB	\$56,\$0
FA6B	8A	LFA6B	385	LFA6B:	TXA	
FA6C	48		386		PHA	
FA6D	BA		387		TSX	
FA6E	E8		388		INX	
FA6F	E8		389		INX	
FA70	E8		390		INX	
FA71	BD0001		391		LDA	L0100,X
FA74	C9F6		392		CMP	#\$F6
FA76	F005		393		BEQ	LFA7D
FA78	68		394		PLA	
FA79	AA		395		TAX	
FA7A	4CF3FA		396		JMP	LFAF3
FA7D	A60E	LFA7D	397	LFA7D:	LDX	L000E
FA7F	9A		398		TXS	
FA80	A200	LFA80	399	LFA80:	LDX	#\$00



FA82	2040FA		400	JSR	LFA40
FA85	D008		401	BNE	LFA8F
FA87	0600		402	ASL	L0000
FA89	38		403	SEC	
FA8A	6600		404	ROR	L0000
FA8C	4CEDE2		405	JMP	LE2ED
FA8F	A204	LFA8F	406	LFA8F: LDX	#\$04
FA91	2040FA		407	JSR	LFA40
FA94	D015		408	BNE	LFAAB
FA96	A24F		409	LDX	#\$4F
FA98	BD0001	LFA98	410	LFA98: LDA	L0100,X
FA9B	9510		411	STA	L0010,X
FA9D	CA		412	DEX	
FA9E	10F8		413	BPL	LFA98
FAA0	0600		414	ASL	L0000
FAA2	38		415	SEC	
FAA3	6600		416	ROR	L0000
FAA5	2058C5		417	JSR	LC558
FAA8	4C4BC3		418	JMP	LC34B
FAAB	A20E	LFAAB	419	LFAAB: LDX	#\$0E
FAAD	2040FA		420	JSR	LFA40
FAB0	D003		421	BNE	LFAB5
FAB2	4C00E8		422	JMP	LE800
FAB5	A212	LFAB5	423	LFAB5: LDX	#\$12
FAB7	2040FA		424	JSR	LFA40
FABA	D003		425	BNE	LFABF
FABC	4C0404		426	JMP	L0404
FABF	2004FB	LFABF	427	LFABF: JSR	LFB04
FAC2	D02F		428	BNE	LFAF3
FAC4	A208		429	LDX	#\$08
FAC6	2040FA		430	JSR	LFA40
FAC9	D003		431	BNE	LFACE
FACB	4C00B0		432	JMP	LB000
FACE	A217	LFACE	433	LFACE: LDX	#\$17
FAD0	2040FA		434	JSR	LFA40
FAD3	D01B		435	BNE	LFAF0
FAD5	B10A	LFAD5	436	LFAD5: LDA	(L000A),Y
FAD7	C938		437	CMP	#\$38
FAD9	1018		438	BPL	LFAF3
FADB	C930		439	CMP	#\$30
FADD	100B		440	BPL	LFAEA
FADF	C920		441	CMP	#\$20
FAE1	D010		442	BNE	LFAF3
FAE3	C8		443	INY	
FAE4	C01F		444	CPY	#\$1F
FAE6	F00B		445	BEQ	LFAF3
FAE8	D0EB		446	BNE	LFAD5
FAEA	2907	LFAEA	447	LFAEA: AND	#\$07
FAEC	8D0EB8		448	STA	LB80E
FAEF	60		449	RTS	

FAF0	4C03B0	LFAF0	450	LFAF0:	JMP	LB003
FAF3	A93F	LFAF3	451	LFAF3:	LDA	#\$3F
FAF5	2075FE		452		JSR	LFE75
FAF8	60		453		RTS	
FAF9	8A	LFAF9	454	LFAF9:	TXA	
FAFA	48		455		PHA	
FAFB	BA		456		TSX	
FAFC	E8		457		INX	
FAFD	860E		458		STX	L000E
FAFF	68		459		PLA	
FB00	AA		460		TAX	
FB01	4CF7F7		461		JMP	LF7F7
FB04	A900	LFB04	462	LFB04:	LDA	#\$00
FB06	8D91BF		463		STA	LBF91
FB09	8D91BF		464		STA	LBF91
FB0C	A9FF		465		LDA	#\$FF
FB0E	8D92BF		466		STA	LBF92
FB11	AD91BF		467		LDA	LBF91
FB14	AD91BF		468		LDA	LBF91
FB17	60		469		RTS	
FB18	A500	LFB18	470	LFB18:	LDA	L0000
FB1A	2901		471		AND	#\$01
FB1C	F01A		472		BEQ	LFB38
FB1E	ADD1BF		473		LDA	Lbfd1
FB21	1015		474		BPL	LFB38
FB23	08		475		PHP	
FB24	ADD0BF		476		LDA	Lbfd0
FB27	48		477		PHA	
FB28	ADD2BF		478		LDA	Lbfd2
FB2B	48		479		PHA	
FB2C	0902		480		ORA	#\$02
FB2E	8DD2BF		481		STA	Lbfd2
FB31	68		482		PLA	
FB32	8DD2BF		483		STA	Lbfd2
FB35	68	LFB35	484	LFB35:	PLA	
FB36	28		485		PLP	
FB37	60	LFB37	486	LFB37:	RTS	
FB38	ADF3BF	LFB38	487	LFB38:	LDA	LBFF3
FB3B	10FA		488		BPL	LFB37
FB3D	08		489		PHP	
FB3E	48		490		PHA	
FB3F	A500		491		LDA	L0000
FB41	2901		492		AND	#\$01
FB43	F0F0		493		BEQ	LFB35
FB45	A900		494		LDA	#\$00
FB47	8500		495		STA	L0000
FB49	A98B		496		LDA	#\$8B
FB4B	8DD2BF		497		STA	Lbfd2
FB4E	D0E5		498		BNE	LFB35
FB50	8DF0BF	LFB50	499	LFB50:	STA	LBFF0

FB53	A500		500	LDA	L0000
FB55	2901		501	AND	#\$01
FB57	F004		502	BEQ	LFB5D
FB59	A900		503	LDA	#\$00
FB5B	850F		504	STA	L000F
FB5D	60	LFB5D	505	LFB5D: RTS	
FB5E	48	LFB5E	506	LFB5E: PHA	
FB5F	98		507	TYA	
FB60	48		508	PHA	
FB61	A540		509	LDA	L0040
FB63	8DFFFF		510	STA	LFFFF
FB66	A000		511	LDY	#\$00
FB68	48		512	PHA	
FB69	29F0		513	AND	#\$F0
FB6B	F004		514	BEQ	LFB71
FB6D	B143		515	LDA	(L0043),Y
FB6F	8542		516	STA	L0042
FB71	68	LFB71	517	LFB71: PLA	
FB72	290F		518	AND	#\$0F
FB74	F004		519	BEQ	LFB7A
FB76	A541		520	LDA	L0041
FB78	9143		521	STA	(L0043),Y
FB7A	8CFFFF	LFB7A	522	LFB7A: STY	LFFFF
FB7D	68		523	PLA	
FB7E	A8		524	TAY	
FB7F	68		525	PLA	
FB80	60		526	RTS	
FB81	205EFB	LFB81	527	LFB81: JSR	LFB5E
FB84	E643		528	INC	L0043
FB86	D002		529	BNE	LFB8A
FB88	E644		530	INC	L0044
FB8A	60	LFB8A	531	LFB8A: RTS	
FB8B	48	LFB8B	532	LFB8B: PHA	
FB8C	98		533	TYA	
FB8D	48		534	PHA	
FB8E	A9FF		535	LDA	#\$FF
FB90	A403	LFB90	536	LFB90: LDY	L0003
FB92	910A		537	STA	(L000A),Y
FB94	68		538	PLA	
FB95	A8		539	TAY	
FB96	68		540	PLA	
FB97	60		541	RTS	
FB98	48	LFB98	542	LFB98: PHA	
FB99	98		543	TYA	
FB9A	48		544	PHA	
FB9B	A9A0		545	LDA	#\$A0
FB9D	D0F1		546	BNE	LFB90
FB9F	A080	LFB9F	547	LFB9F: LDY	#\$80
FBA1	CA	LFBA1	548	LFBA1: DEX	
FBA2	D0FD		549	BNE	LFBA1

FBA4	88		550	DEY	
FBA5	D0FA		551	BNE	LFBA1
FBA7	A030		552	LDY	#\$30
FBA9	A200		553	LDX	#\$00
FBAB	A900		554	LDA	#\$00
FBAD	9D00B8	LFBAD	555	LFBAD: STA	LB800,X
FBB0	E8		556	INX	
FBB1	88		557	DEY	
FBB2	D0F9		558	BNE	LFBAD
FBB4	4C3EF8		559	JMP	LF83E
FBB7	C90C	LFBB7	560	LFBB7: CMP	#\$0C
FBB9	F00C		561	BEQ	LFBC7
FBBB	A403		562	LDY	L0003
FBBD	C000		563	CPY	#\$00
FBBF	F009		564	BEQ	LFBCA
FBC1	204FFC		565	JSR	LFC4F
FBC4	4C4BFC		566	JMP	LFC4B
FBC7	4C42FC	LFBC7	567	LFBC7: JMP	LFC42
FBCA	200CF8	LFBCA	568	LFBCA: JSR	LF80C
FBCD	20D3FB	LFBCD	569	LFBCD: JSR	LFBD3
FBD0	4C37FC		570	JMP	LFC37
FBD3	2004FB	LFBD3	571	LFBD3: JSR	LFBD3
FBD6	D017		572	BNE	LFBEF
FBD8	AD0EB8		573	LDA	LB80E
FBDB	2907		574	AND	#\$07
FBDD	18		575	CLC	
FBDE	6930		576	ADC	#\$30
FBE0	2075FE		577	JSR	LFE75
FBE3	A93E		578	LDA	#\$3E
FBE5	2075FE		579	JSR	LFE75
FBE8	2098FB		580	JSR	LF898
FBEB	A900		581	LDA	#\$00
FBED	8503		582	STA	L0003
FBEF	60	LFBEF	583	LFBEF: RTS	
FBF0	BDEBFF	LFBF0	584	LFBF0: LDA	LF8E8,X
FBF3	D03C		585	BNE	LFC31
FBF5	4CCAFB		586	JMP	LFBCA
FBF8	A2A0		587	LDX	#\$A0
FBFA	89		588	???	
FBFB	B4AC		589	LDY	L00AC,X
FBFD	C9A5		590	CMP	#\$A5
FBFF	BB		591	???	
FC00	4C9FFB		592	JMP	LF89F
FC03	E8	LFC03	593	LFC03: INX	
FC04	8617		594	STX	L0017
FC06	20B7FF		595	JSR	LF8B7
FC09	8DF3BF		596	STA	LB8F3
FC0C	A20C		597	LDX	#\$0C
FC0E	BD31F8	LFC0E	598	LFC0E: LDA	LF831,X
FC11	9504		599	STA	L0004,X

FC13	CA		600		DEX	
FC14	10F8		601		BPL	LFC0E
FC16	E8		602		INX	
FC17	8EF2BF		603		STX	LBFF2
FC1A	8DF0BF		604		STA	LBFF0
FC1D	CA		605		DEX	
FC1E	8EF2BF		606		STX	LBFF2
FC21	E8		607		INX	
FC22	ADF3BF		608		LDA	LBFF3
FC25	1002		609		BPL	LFC29
FC27	E60F		610		INC	L000F
FC29	2050FB	LFC29	611	LFC29:	JSR	LFB50
FC2C	4CF0FB	LFC2C	612	LFC2C:	JMP	LFBF0
FC2F	F006		613		BEQ	LFC37
FC31	2075FE	LFC31	614	LFC31:	JSR	LFE75
FC34	E8		615		INX	
FC35	D0F5		616		BNE	LFC2C
FC37	D8	LFC37	617	LFC37:	CLD	
FC38	58		618		CLI	
FC39	20FAFD		619		JSR	LF DFA
FC3C	A501		620		LDA	L0001
FC3E	C920		621		CMP	#\$20
FC40	3006		622		BMI	LFC48
FC42	2075FE	LFC42	623	LFC42:	JSR	LFE75
FC45	4C37FC		624		JMP	LFC37
FC48	4CB7FB	LFC48	625	LFC48:	JMP	LFBB7
FC4B	4CCAFB	LFC4B	626	LFC4B:	JMP	LFBCA
FC4E	EA		627		NOP	
FC4F	A000	LFC4F	628	LFC4F:	LDY	#\$00
FC51	B10A		629		LDA	(L000A),Y
FC53	AA		630		TAX	
FC54	C8		631		INY	
FC55	B10A		632		LDA	(L000A),Y
FC57	1036		633		BPL	LFC8F
FC59	A900		634		LDA	#\$00
FC5B	E053		635		CPX	#\$53
FC5D	D003		636		BNE	LFC62
FC5F	860D		637		STX	L000D
FC61	60		638		RTS	
FC62	E04E	LFC62	639	LFC62:	CPX	#\$4E
FC64	D003		640		BNE	LFC69
FC66	850D		641		STA	L000D
FC68	60		642		RTS	
FC69	E050	LFC69	643	LFC69:	CPX	#\$50
FC6B	D004		644		BNE	LFC71
FC6D	850E		645		STA	L000E
FC6F	F056		646		BEQ	LFCC7
FC71	E052	LFC71	647	LFC71:	CPX	#\$52
FC73	D009		648		BNE	LFC7E
FC75	851D		649		STA	L001D

FC77	A915		650	LDA	#\$15
FC79	851C		651	STA	L001C
FC7B	4CE5FD		652	JMP	LFDE5
FC7E	E042	LFC7E	653	LFC7E: CPX	#\$42
FC80	D004		654	BNE	LFC86
FC82	20B7FF		655	JSR	LFFB7
FC85	60		656	RTS	
FC86	4CF9FA	LFC86	657	LFC86: JMP	LFAF9
FC89	4C6BFA		658	JMP	LFA6B
FC8C	EA		659	NOP	
FC8D	EA		660	NOP	
FC8E	60		661	RTS	
FC8F	88	LFC8F	662	LFC8F: DEY	
FC90	8A		663	TXA	
FC91	48		664	PHA	
FC92	2028FF		665	JSR	LFF28
FC95	D054		666	BNE	LFCEB
FC97	68		667	PLA	
FC98	50EC		668	BVC	LFC86
FC9A	C947		669	CMP	#\$47
FC9C	D021		670	BNE	LFCBF
FC9E	A200		671	LDX	#\$00
FCA0	860E		672	STX	L000E
FCA2	CA		673	DEX	
FCA3	9A	LFCA3	674	LFCA3: TXS	
FCA4	A514		675	LDA	L0014
FCA6	48		676	PHA	
FCA7	A513		677	LDA	L0013
FCA9	48		678	PHA	
FCAA	A517		679	LDA	L0017
FCAC	48		680	PHA	
FCAD	C60C		681	DEC	L000C
FCAF	A920		682	LDA	#\$20
FCB1	A403		683	LDY	L0003
FCB3	910A		684	STA	(L000A),Y
FCB5	A619		685	LDX	L0019
FCB7	A41A		686	LDY	L001A
FCB9	A51B	LFCB9	687	LFCB9: LDA	L001B
FCBB	8DF1BF		688	STA	LBFF1
FCBE	40		689	RTI	
FCBF	C950	LFCBF	690	LFCBF: CMP	#\$50
FCC1	D011		691	BNE	LFCD4
FCC3	A513		692	LDA	L0013
FCC5	850E		693	STA	L000E
FCC7	A516	LFCC7	694	LFCC7: LDA	L0016
FCC9	8514		695	STA	L0014
FCCB	A515		696	LDA	L0015
FCCD	8513		697	STA	L0013
FCCF	A618		698	LDX	L0018
FCD1	4CA3FC		699	JMP	LFCA3

FCD4	C94D	LFCD4	700	LFCD4:	CMP	#\$4D
FCD6	D0AE		701		BNE	LFC86
FCD8	A92C		702		LDA	#\$2C
FCD A	2075FE		703		JSR	LFE75
FCDD	A000		704		LDY	#\$00
FCDF	B113		705		LDA	(L0013),Y
FCE1	200BFF		706		JSR	LFF0B
FCE4	68		707		PLA	
FCE5	68		708		PLA	
FCE6	A92C		709		LDA	#\$2C
FCE8	4C42FC		710		JMP	LFC42
FCEB	E02C	LFCEB	711	LFCEB:	CPX	#\$2C
FCED	F004		712		BEQ	LFCF3
FCEF	68	LFCEF	713	LFCEF:	PLA	
FCF0	4C86FC	LFCF0	714	LFCF0:	JMP	LFC86
FCF3	A513	LFCF3	715	LFCF3:	LDA	L0013
FCF5	851C		716		STA	L001C
FCF7	A514		717		LDA	L0014
FCF9	851D		718		STA	L001D
FCFB	2028FF		719		JSR	LFF28
FCFE	D07C		720		BNE	LFD7C
FD00	68		721		PLA	
FD01	50ED		722		BVC	LFCF0
FD03	C94C		723		CMP	#\$4C
FD05	F042		724		BEQ	LFD49
FD07	C94F		725		CMP	#\$4F
FD09	D027		726		BNE	LFD32
FD0B	A513		727		LDA	L0013
FD0D	38		728		SEC	
FD0E	E902		729		SBC	#\$02
FD10	B002		730		BCS	LFD14
FD12	C614		731		DEC	L0014
FD14	38	LFD14	732	LFD14:	SEC	
FD15	E51C		733		SBC	L001C
FD17	AA		734		TAX	
FD18	A514		735		LDA	L0014
FD1A	E51D		736		SBC	L001D
FD1C	A8		737		TAY	
FD1D	8A		738		TXA	
FD1E	3005		739		BMI	LFD25
FD20	98		740		TYA	
FD21	D0CD		741		BNE	LFCF0
FD23	F003		742		BEQ	LFD28
FD25	C8	LFD25	743	LFD25:	INY	
FD26	D0C8		744		BNE	LFCF0
FD28	A93D	LFD28	745	LFD28:	LDA	#\$3D
FD2A	2075FE		746		JSR	LFE75
FD2D	8A		747		TXA	
FD2E	200BFF		748		JSR	LFF0B
FD31	60		749		RTS	

FD32	C942	LFD32	750	LFD32:	CMP	#\$42
FD34	D0BA	LFD34	751	LFD34:	BNE	LFCF0
FD36	A513		752		LDA	L0013
FD38	30B6		753		BMI	LFCF0
FD3A	C908		754		CMP	#\$08
FD3C	10B2		755		BPL	LFCF0
FD3E	0A		756		ASL	A
FD3F	AA		757		TAX	
FD40	A51C		758		LDA	L001C
FD42	9520		759		STA	L0020,X
FD44	A51D		760		LDA	L001D
FD46	9521		761		STA	L0021,X
FD48	60	LFD48	762	LFD48:	RTS	
FD49	2073FE	LFD49	763	LFD49:	JSR	LFE73
FD4C	A000		764		LDY	#\$00
FD4E	A51D		765		LDA	L001D
FD50	200BFF		766		JSR	LFF0B
FD53	A51C		767		LDA	L001C
FD55	200BFF	LFD55	768	LFD55:	JSR	LFF0B
FD58	A920		769		LDA	#\$20
FD5A	2075FE		770		JSR	LFE75
FD5D	B11C		771		LDA	(L001C),Y
FD5F	C8		772		INY	
FD60	C009		773		CPY	#\$09
FD62	30F1		774		BMI	LFD55
FD64	C613		775		DEC	L0013
FD66	F0E0		776		BEQ	LFD48
FD68	88	LFD68	777	LFD68:	DEY	
FD69	D0FD		778		BNE	LFD68
FD6B	CA		779		DEX	
FD6C	D0FA		780		BNE	LFD68
FD6E	A51C		781		LDA	L001C
FD70	18		782		CLC	
FD71	6908		783		ADC	#\$08
FD73	851C		784		STA	L001C
FD75	90D2		785		BCC	LFD49
FD77	E61D		786		INC	L001D
FD79	4C49FD		787		JMP	LFD49
FD7C	E02C	LFD7C	788	LFD7C:	CPX	#\$2C
FD7E	F003		789		BEQ	LFD83
FD80	4CEFFC	LFD80	790	LFD80:	JMP	LFCEF
FD83	A513	LFD83	791	LFD83:	LDA	L0013
FD85	851E		792		STA	L001E
FD87	A514		793		LDA	L0014
FD89	851F		794		STA	L001F
FD8B	2028FF		795		JSR	LFF28
FD8E	D0F0		796		BNE	LFD80
FD90	68		797		PLA	
FD91	C94D		798		CMP	#\$4D
FD93	F027		799		BEQ	LFDBC



FD95	C943		800		CMP	#\$43
FD97	D09B		801		BNE	LFD34
FD99	5099		802		BVC	LFD34
FD9B	A000		803		LDY	#\$00
FD9D	B11C	LFD9D	804	LFD9D:	LDA	(L001C),Y
FD9F	9113		805		STA	(L0013),Y
FDA1	A51F		806		LDA	L001F
FDA3	C51D		807		CMP	L001D
FDA5	D006		808		BNE	LFDAD
FDA7	A51E		809		LDA	L001E
FDA9	C51C		810		CMP	L001C
FDAB	F05B		811		BEQ	LFE08
FDAD	E61C	LFDAD	812	LFDAD:	INC	L001C
FDAF	D002		813		BNE	LFDB3
FDB1	E61D		814		INC	L001D
FDB3	E613	LFDB3	815	LFDB3:	INC	L0013
FDB5	D0E6		816		BNE	LFD9D
FDB7	E614		817		INC	L0014
FDB9	D0E2		818		BNE	LFD9D
FDBB	60		819		RTS	
FDBC	A601	LFDBC	820	LFDBC:	LDX	L0001
FDBE	E020		821		CPX	#\$20
FDC0	F023		822		BEQ	LFDE5
FDC2	5006		823		BVC	LFDCA
FDC4	A513		824		LDA	L0013
FDC6	A000		825		LDY	#\$00
FDC8	911C		826		STA	(L001C),Y
FDCA	E00A	LFDCA	827	LFDCA:	CPX	#\$0A
FDCC	F011		828		BEQ	LFDDF
FDCE	E01B		829		CPX	#\$1B
FDD0	D036		830		BNE	LFE08
FDD2	C61C		831		DEC	L001C
FDD4	A51C		832		LDA	L001C
FDD6	C9FF		833		CMP	#\$FF
FDD8	D00B		834		BNE	LFDE5
FDDA	C61D		835		DEC	L001D
FDDC	4CE5FD		836		JMP	LFDE5
FDDF	E61C	LFDDF	837	LFDDF:	INC	L001C
FDE1	D002		838		BNE	LFDE5
FDE3	E61D		839		INC	L001D
FDE5	2073FE	LFDE5	840	LFDE5:	JSR	LFE73
FDE8	A94D		841		LDA	#\$4D
FDEA	2075FE		842		JSR	LFE75
FDED	A51D		843		LDA	L001D
FDEF	200BFF		844		JSR	LFF0B
FDF2	A51C		845		LDA	L001C
FDF4	200BFF		846		JSR	LFF0B
FDF7	4C4FFC		847		JMP	LFC4F
FDFA	A900	LFDFA	848	LFDFA:	LDA	#\$00
FDFC	48		849		PHA	

FDFD	8501		850		STA	L0001
FDFE	C50F		851		CMP	L000F
FE01	D006		852		BNE	LFE09
FE03	C501	LFE03	853	LFE03:	CMP	L0001
FE05	F0FC		854		BEQ	LFE03
FE07	68	LFE07	855	LFE07:	PLA	
FE08	60	LFE08	856	LFE08:	RTS	
FE09	A90F	LFE09	857	LFE09:	LDA	#\$0F
FE0B	8DF2BF		858		STA	LBFF2
FE0E	ADF3BF		859		LDA	LBFF3
FE11	D0F6		860		BNE	LFE09
FE13	A240		861		LDX	#\$40
FE15	88	LFE15	862	LFE15:	DEY	
FE16	D0FD		863		BNE	LFE15
FE18	CA		864		DEX	
FE19	D0FA		865		BNE	LFE15
FE1B	A0FF	LFE1B	866	LFE1B:	LDY	#\$FF
FE1D	68		867		PLA	
FE1E	48		868		PHA	
FE1F	F002		869		BEQ	LFE23
FE21	A013		870		LDY	#\$13
FE23	A208	LFE23	871	LFE23:	LDX	#\$08
FE25	8EF2BF	LFE25	872	LFE25:	STX	LBFF2
FE28	ADF3BF		873		LDA	LBFF3
FE2B	D00C		874		BNE	LFE39
FE2D	C8		875		INY	
FE2E	C8		876		INY	
FE2F	C8		877		INY	
FE30	C8		878		INY	
FE31	C8		879		INY	
FE32	8A		880		TXA	
FE33	4A		881		LSR	A
FE34	AA		882		TAX	
FE35	F0E4		883		BEQ	LFE1B
FE37	D0EC		884		BNE	LFE25
FE39	C8	LFE39	885	LFE39:	INY	
FE3A	4A		886		LSR	A
FE3B	90FC		887		BCC	LFE39
FE3D	B94BFE		888		LDA	LF00E4B,
FE40	8501		889		STA	L0001
FE42	D0C3		890		BNE	LFE07
FE44	68		891		PLA	
FE45	49FF		892		EOR	#\$FF
FE47	48		893		PHA	
FE48	4C09FE		894		JMP	LFE09
FE4B	33		895		DEFB	\$33
FE4C	37		896		DEFB	\$37
FE4D	42		897		DEFB	\$42
FE4E	463F		898		DEFB	\$46,\$F
FE50	32		899		DEFB	\$32

FE51	3641		900	DEFB	\$36,\$1
FE53	450D		901	DEFB	\$45,\$D
FE55	3135		902	DEFB	\$31,\$5
FE57	39440A		903	DEFB	\$39,\$40
FE5A	3034		904	DEFB	\$30,\$4
FE5C	38		905	DEFB	\$38
FE5D	43		906	DEFB	\$43
FE5E	00		907	DEFB	\$00
FE5F	2C524C		908	DEFB	\$2C,\$24
FE62	4E3F32		909	DEFB	\$4E,\$F3
FE65	43		910	DEFB	\$43
FE66	4953		911	DEFB	\$49,\$3
FE68	20314F		912	DEFB	\$20,\$14
FE6B	1B		913	DEFB	\$1B
FE6C	47		914	DEFB	\$47
FE6D	7F		915	DEFB	\$7F
FE6E	3034		916	DEFB	\$30,\$4
FE70	504D		917	DEFB	\$50,\$D
FE72	00		918	DEFB	\$00
FE73	A90D	LFE73	919	LFE73: DEFB	\$A9,\$D
FE75	4C7CF8	LFE75	920	LFE75: JMP	LF87C
FE78	EA		921	NOB	
FE79	8502	LFE79	922	LFE79: STA	L0002
FE7B	A403		923	LDY	L0003
FE7D	A920		924	LDA	#\$20
FE7F	910A		925	STA	(L000A),Y
FE81	A602		926	LDX	L0002
FE83	E00C		927	CPX	#\$0C
FE85	D00A		928	BNE	LFE91
FE87	2006FA		929	JSR	LFA06
FE8A	A9FF	LFE8A	930	LFE8A: LDA	#\$FF
FE8C	910A		931	STA	(L000A),Y
FE8E	8403		932	STY	L0003
FE90	60		933	RTS	
FE91	E07F	LFE91	934	LFE91: CPX	#\$7F
FE93	D005		935	BNE	LFE9A
FE95	20ECF9		936	JSR	LF9EC
FE98	10F0		937	BPL	LFE8A
FE9A	E00D	LFE9A	938	LFE9A: CPX	#\$0D
FE9C	F008		939	BEQ	LFEA6
FE9E	8A		940	TXA	
FE9F	910A		941	STA	(L000A),Y
FEA1	C8		942	INY	
FEA2	C020		943	CPY	#\$20
FEA4	D0E4		944	BNE	LFE8A
FEA6	A920	LFEA6	945	LFEA6: LDA	#\$20
FEA8	18		946	CLC	
FEA9	650A		947	ADC	L000A
FEAB	850A		948	STA	L000A
FEAD	A50B		949	LDA	L000B

FEAF	6900		950	ADC	#\$00
FEB1	850B		951	STA	L000B
FEB3	A000		952	LDY	#\$00
FEB5	C904		953	CMP	#\$04
FEB7	D0D1		954	BNE	LFE8A
FEB9	201BFA		955	JSR	LFA1B
FEBC	F0CC		956	BEQ	LFE8A
FEBE	97		957	DEFB	\$97
FEBF	A0C4		958	LDY	#\$C4
FEC1	A5A0		959	LDA	L00A0
FEC3	48	LFEC3	960	LFEC3: PHA	
FEC4	D8		961	CLD	
FEC5	8A		962	TXA	
FEC6	48		963	PHA	
FEC7	BA		964	TSX	
FEC8	E8		965	INX	
FEC9	E8		966	INX	
FECA	E8		967	INX	
FECB	BD0001		968	LDA	L0100,X
FECE	2910		969	AND	#\$10
FED0	D01E		970	BNE	LFEF0
FED2	68		971	PLA	
FED3	AA		972	TAX	
FED4	2018FB		973	JSR	LFB18
FED7	3004		974	BMI	LFEDD
FED9	68	LFED9	975	LFED9: PLA	
FEDA	4C1000		976	JMP	L0010
FEDD	297F	LFEDD	977	LFEDD: AND	#\$7F
FEDF	8501		978	STA	L0001
FEE1	2011F9		979	JSR	LF911
FEE4	C91B		980	CMP	#\$1B
FEE6	D0F1		981	BNE	LFED9
FEE8	A50C		982	LDA	L000C
FEEA	D0ED		983	BNE	LFED9
FEEC	850E		984	STA	L000E
FEED	F012		985	BEQ	LFF02
FEF0	E8	LFEF0	986	LFEF0: INX	
FEF1	38		987	SEC	
FEF2	BD0001		988	LDA	L0100,X
FEF5	E902		989	SBC	#\$02
FEF7	9D0001		990	STA	L0100,X
FEFA	B004		991	BCS	LFF00
FEFC	E8		992	INX	
FEFD	DE0001		993	DEC	L0100,X
FF00	68	LFF00	994	LFF00: PLA	
FF01	AA		995	TAX	
FF02	68	LFF02	996	LFF02: PLA	
FF03	851B		997	STA	L001B
FF05	20C1FF		998	JSR	LFFC1
FF08	4C75FF		999	JMP	LFF75

FF0B	48	LFF0B	1000	LFF0B:	PHA	
FF0C	A201		1001		LDX	#\$01
FF0E	4A		1002		LSR	A
FF0F	4A		1003		LSR	A
FF10	4A		1004		LSR	A
FF11	4A		1005		LSR	A
FF12	18	LFF12	1006	LFF12:	CLC	
FF13	6930		1007		ADC	#\$30
FF15	C93A		1008		CMP	#\$3A
FF17	3003		1009		BMI	LFF1C
FF19	18		1010		CLC	
FF1A	6907		1011		ADC	#\$07
FF1C	2075FE	LFF1C	1012	LFF1C:	JSR	LFE75
FF1F	CA		1013		DEX	
FF20	1001		1014		BPL	LFF23
FF22	60		1015		RTS	
FF23	68	LFF23	1016	LFF23:	PLA	
FF24	290F		1017		AND	#\$0F
FF26	10EA		1018		BPL	LFF12
FF28	A900	LFF28	1019	LFF28:	LDA	#\$00
FF2A	48		1020		PHA	
FF2B	8513		1021		STA	L0013
FF2D	8514		1022		STA	L0014
FF2F	C8	LFF2F	1023	LFF2F:	INY	
FF30	B10A		1024		LDA	(L000A),Y
FF32	AA		1025		TAX	
FF33	38		1026		SEC	
FF34	E930		1027		SBC	#\$30
FF36	3010		1028		BMI	LFF48
FF38	C90A		1029		CMP	#\$0A
FF3A	3010		1030		BMI	LFF4C
FF3C	38		1031		SEC	
FF3D	E911		1032		SBC	#\$11
FF3F	3007		1033		BMI	LFF48
FF41	18		1034		CLC	
FF42	690A		1035		ADC	#\$0A
FF44	C910		1036		CMP	#\$10
FF46	3004		1037		BMI	LFF4C
FF48	28	LFF48	1038	LFF48:	PLP	
FF49	E0FF		1039		CPX	#\$FF
FF4B	60		1040		RTS	
FF4C	A204	LFF4C	1041	LFF4C:	LDX	#\$04
FF4E	0614	LFF4E	1042	LFF4E:	ASL	L0014
FF50	0613		1043		ASL	L0013
FF52	9002		1044		BCC	LFF56
FF54	E614		1045		INC	L0014
FF56	CA	LFF56	1046	LFF56:	DEX	
FF57	D0F5		1047		BNE	LFF4E
FF59	18		1048		CLC	
FF5A	6513		1049		ADC	L0013

FF5C	8513		1050	STA	L0013
FF5E	68		1051	PLA	
FF5F	A940		1052	LDA	#\$40
FF61	48		1053	PHA	
FF62	D0CB		1054	BNE	LFF2F
FF64	851B	LFF64	1055	LFF64: STA	L001B
FF66	D8		1056	CLD	
FF67	A50D		1057	LDA	L000D
FF69	D00A		1058	BNE	LFF75
FF6B	8A		1059	TXA	
FF6C	48		1060	PHA	
FF6D	20D6FF		1061	JSR	LFFD6
FF70	68		1062	PLA	
FF71	AA		1063	TAX	
FF72	A51B		1064	LDA	L001B
FF74	40		1065	RTI	
FF75	A50E	LFF75	1066	LFF75: LDA	L000E
FF77	F005		1067	BEQ	LFF7E
FF79	C60E		1068	DEC	L000E
FF7B	4CB9FC		1069	JMP	LFCB9
FF7E	E60C	LFF7E	1070	LFF7E: INC	L000C
FF80	68		1071	PLA	
FF81	8517		1072	STA	L0017
FF83	68		1073	PLA	
FF84	8515		1074	STA	L0015
FF86	68		1075	PLA	
FF87	8516		1076	STA	L0016
FF89	8619		1077	STX	L0019
FF8B	841A		1078	STY	L001A
FF8D	BA		1079	TSX	
FF8E	8618		1080	STX	L0018
FF90	2073FE		1081	JSR	LFE73
FF93	A516		1082	LDA	L0016
FF95	200BFF		1083	JSR	LFF0B
FF98	A515		1084	LDA	L0015
FF9A	200BFF		1085	JSR	LFF0B
FF9D	A000		1086	LDY	#\$00
FF9F	A920	LFF9F	1087	LFF9F: LDA	#\$20
FFA1	48		1088	PHA	
FFA2	2075FE		1089	JSR	LFE75
FFA5	68		1090	PLA	
FFA6	2075FE		1091	JSR	LFE75
FFA9	B91700		1092	LDA	L000017,
FFAC	200BFF		1093	JSR	LFF0B
FFAF	C8		1094	INY	
FFB0	C005		1095	CPY	#\$05
FFB2	30EB		1096	BMI	LFF9F
FFB4	4C4BFC		1097	JMP	LFC4B
FFB7	A21F	LFFB7	1098	LFFB7: LDX	#\$1F
FFB9	A900		1099	LDA	#\$00

FFBB	9520	LFFBB	1100	LFFBB:	STA	L0020,X
FFBD	CA		1101		DEX	
FFBE	10FB		1102		BPL	LFFBB
FFC0	60		1103		RTS	
FFC1	8A	LFFC1	1104	LFFC1:	TXA	
FFC2	48		1105		PHA	
FFC3	A20E		1106		LDX	#\$0E
FFC5	B520	LFFC5	1107	LFFC5:	LDA	L0020,X
FFC7	1521		1108		ORA	L0021,X
FFC9	F004		1109		BEQ	LFFCF
FFCB	B530		1110		LDA	L0030,X
FFCD	8120		1111		STA	(L0020,X)
FFCF	CA	LFFCF	1112	LFFCF:	DEX	
FFD0	CA		1113		DEX	
FFD1	10F2		1114		BPL	LFFC5
FFD3	68		1115		PLA	
FFD4	AA		1116		TAX	
FFD5	60		1117		RTS	
FFD6	A20E	LFFD6	1118	LFFD6:	LDX	#\$0E
FFD8	B521	LFFD8	1119	LFFD8:	LDA	L0021,X
FFDA	1520		1120		ORA	L0020,X
FFDC	F008		1121		BEQ	LFFE6
FFDE	A120		1122		LDA	(L0020,X)
FFE0	9530		1123		STA	L0030,X
FFE2	A900		1124		LDA	#\$00
FFE4	8120		1125		STA	(L0020,X)
FFE6	CA	LFFE6	1126	LFFE6:	DEX	
FFE7	CA		1127		DEX	
FFE8	10EE		1128		BPL	LFFD8
FFEA	60		1129		RTS	
FFEB	0D5441	LFFEB	1130	LFFEB:	<CR>TANBI	
FFEE	4E4255		1131		0	
FFF1	47		1132		0	
FFF2	00		1133		0	
FFF3	00		1134		0	
FFF4	CCA0A0		1135		CPY	LA0A0
FFF7	4C80FA		1136		JMP	LFA80
FFFA	07		1137		DEFB	\$07
FFFB	00		1138		BRK	
FFFC	00		1139		BRK	
FFFD	FC		1140		DEFB	\$FC
FFFE	04		1141		DEFB	\$04
FFFF		LFFFF	1142	LFFFF:	.END	